







CF21 Series 0.50mm(.020") SMT ZIF FFC/FPC Downside Connectors


- Tin-lead plated Phosphor Bronze Downside contact
- Insulation: High temperature plastic UL 94V-0, Color Nature
- Slider: High temperature plastic UL 94V-0, Color Brown
- Actuator designed easy for FFC/FPC installation
- Fully check by CCD and Hi-Pot test
- With fixed metal tabs to secure connector in place
- Available in Tube or Reel packing



$A = 0.50 \times \text{No. of Spaces}$
 $B = A + 6.4$
 $C = A + 1.1$
 * Available in 6 through 50 circuits



Sold Pad Pattern



Accommodated FFC/FPC

Ordering Code

① **CF 2 1** ② **5 0** ③ **1** ④ **D** ⑤ **0** ⑥ **R0**



- ① Series No.
 ② Circuits : 06 to 50
 ③ Plating code:
 1= Tin-lead over Nickel

- ④ Contact style:
 D= Downside contact
 ⑤ Color: 0 = Nature





- ⑥ Other options:
 R0 = Tape & Reel
 T0 = Tube Packing
 * Special option Consult manufacturer

CF21 Series 0.50mm(.020") SMT ZIF FFC/FPC Upside Connectors


- ◎ Tin-lead plated Phosphor Bronze Upside contact
- ◎ Insulation: High temperature plastic UL 94V-0, Color Nature
- ◎ Slider: High temperature plastic UL 94V-0, Color Brown
- ◎ Actuator designed easy for FFC/FPC installation
- ◎ Fully check by CCD and Hi-Pot test
- ◎ With fixed metal tabs to secure connector in place
- ◎ Available in Tube or Reel packing



A = 0.50 x No. of Spaces
 B = A + 6.4
 C = A + 1.1
 * Available in 6 through 50 circuits



Sold Pad Pattern



Accommodated FFC/FPC




Ordering Code

- | | | |
|--|---------------------------------------|--|
| ① Series No. | ④ Contact style:
U= Upside contact | ⑥ Other options:
R0 = Tape & Reel
T0 = Tube Packing
* Special option Consult manufacturer |
| ② Circuits : 06 to 50 | ⑤ Color: 0 = Nature | |
| ③ Plating code:
1= Tin-lead over Nickel | | |





① CF 2 1 ② 5 0 ③ 1 ④ U ⑤ 0 ⑥ R0

CF21 Series 0.50mm(.020") SMT ZIF FFC/FPC Vertical Type Connectors


- Tin-lead plated Phosphor Bronze Vertical Type
- Insulation: High temperature plastic UL 94V-0, Color Nature
- Slider: High temperature plastic UL 94V-0, Color Brown
- Actuator designed easy for FFC/FPC installation
- Fully check by CCD and Hi-Pot test
- With fixed metal tabs to secure connector in place
- Available in Tube or Reel packing



$A = 0.50 \times \text{No. of Spaces}$
 $B = A + 6.4$
 $C = A + 1.1$
 * Available in 6 through 50 circuits



Sold Pad Pattern



Accommodated FFC/FPC

Ordering Code

① ② ③ ④ ⑤ ⑥ ⑦
CF 2 1 5 0 1 V 0 R 0

- ① Series No.
 ② Circuits : 06 to 50
 ③ Plating code:
 1= Tin-lead over Nickel

- ④ Contact style:
 V= Vertical Type
 ⑤ Color: 0 = Nature
 ⑥ Packing Type:
 R= Tape & Reel
 T= Tube Packing

- ⑦ Other options:
 0= Without Pick and Place Pad(Standard)
 P= With Pick and Place Pad
 * Special option Consult manufacturer