








SECTION A-A



View "X"
Scale 2:1



NOTE 1 :

- The connector is designed for the male contacts: Sicma 2/3 1.5 x 0.8 mm.
Sicma 2 2.8 x 0.8 mm.

NOTE 2 :

- The configuration 2.3.4.5.6 of this connector can be supplied with different grommet shapes. (View "X" shows the alternative shape).
- Same dimensions valid for all version.
- Completed by the contacts it can be mated with the relative female holder 34 ways : DTBFHPE34BXXXXX
- For use and mating operation : see spec. IPS 160

RELEASED FOR
PRODUCTION

Description : DOOR TO BODY -- WAYS
ASSY MALE HOLDER

Cat. No : See sheet 2 of 3 and 3 of 3

Draft *FBI* *VC*

Date 10/11/03

We reserve the right to change dimensions or requirements without prior notice.

This is our exclusive property. It is not to be copied, reprinted or disclosed to a third party, nor used for manufacturing, without our written consent, and has to be returned to us in case of no usage.

European projection

Not to scale

All dimensions in mm

Tolerances ± --- mm

Unless otherwise specified



FRAMATOME CONNECTORS
INTERNATIONAL

Framatome connectors Italia S.p.A.

FSA309025
customer drawing


Rev.
08

SHEET

1 OF 3


FSA 309025

9+2 WAYS



1

17+2 WAYS



2

P/N

DTBMHPE34BK092A

OPEN CAVITIES

1-2-4-5-6-7-8-9-13-14-21


P/N

DTBMHPE34BK172A

OPEN CAVITIES


1-2-4-5-6-7-8-9-12-13-14-15
20-21-22-28-29-33-34

22+2 WAYS



3

34 WAYS



4

P/N

DTBMHPE34BK222A

OPEN CAVITIES

1-2-3-4-5-6-7-8-9-12-13-14-15-20
21-22-23-27-28-29-30-32-33-34

P/N

DTBMHPE34BK

OPEN CAVITIES

ALL

NOTE 3 :

- The above products are different because of the different grommets stop (See table below)

A	DTBMHPE11GRCD
B	DTBMHPE19GYCD
C	DTBMHPE24BLCD
D	DTBMHPE34BKCD

RELEASED FOR PRODUCTION

Description : DOOR TO BODY -- WAYS
ASSY MALE HOLDER

Cat. No : See table

Draft *F. G. M.*
Date 10/11/03

We reserve the right to change dimensions or requirements without prior notice.

This is our exclusive property. It is not to be copied, reprinted or disclosed to a third party, nor used for manufacturing, without our written consent, and has to be returned to us in case of no usage.

European projection 
Not to scale
All dimensions in mm
Tolerances $\pm$ --- mm
Unless otherwise specified



FCI
FRAMATOME CONNECTORS
INTERNATIONAL

Framatome connectors Italia S.p.A.

FSA309025
customer drawing


Rev.
08

SHEET
2 OF 3

FSA 309025


10+4 WAYS

5



18+4 WAYS

6



P/N

DTBMHPE34BK104A

OPEN CAVITIES

3-4-5-8-9-10-17-18-25
26-27-30-31-32


P/N

DTBMHPE34BK184A

OPEN CAVITIES

1-2-3-4-5-8-9-10-11-16-17-18-19
24-25-26-27-30-31-32-33-3434 WAYS
UNSEALED

7



P/N

DTBMHPE34BKUS

OPEN CAVITIES

ALL
UNSEALED VERSION

NOTE 4:

- The above products are different because of the different grommets stop (See table below)

E	211PLPE1040RCDB
F	211PLPE184BNCDB
G	WITHOUT

RELEASED FOR
PRODUCTIONDescription : DOOR TO BODY -- WAYS
ASSY MALE HOLDER

Cat. No : See table

Draft *[Signature]*
Date 10/11/03We reserve the right to change
dimensions or requirements
without prior notice.This is our exclusive property.
It is not to be copied, reprinted
or disclosed to a third party,
nor used for manufacturing,
without our written consent,
and has to be returned to us
in case of no usage.European projection 
Not to scale
All dimensions in mm
Tolerances $\pm$ --- mm
Unless otherwise specifiedFRAMATOME CONNECTORS
INTERNATIONAL

Framatome connectors Italia S.p.A.

FSA309025
customer drawing

Rev.

08

SHEET

3 OF 3

FSA 309025